


In The Claims:

Please replace the previously presented claim set with the following replacement claim set:

1. (Currently Amended) A compound of formula I:



wherein

X is O or NR¹¹;

~~where~~ R¹¹ is hydrogen, optionally substituted alkyl, optionally substituted aryl or optionally substituted heteroaryl;

Y is a single bond, C=O, C=S or S(O)_m;

~~where~~ m is 0, 1 or 2;

R¹ is hydrogen, optionally substituted alkyl, optionally substituted alkoxy, optionally substituted alkylcarbonyl, aminocarbonyl, optionally substituted alkylaminocarbonyl, optionally substituted dialkylaminocarbonyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted alkoxy, optionally substituted aryloxy, optionally substituted heteroaryloxy, optionally substituted heterocycloxy, cyano, optionally substituted alkenyl, optionally substituted alkynyl, optionally substituted cycloalkyl, optionally substituted cycloalkenyl, formyl, optionally substituted heterocyclyl, optionally substituted alkylthio, NO or NR¹³R¹⁴;

~~where~~ R¹³ and R¹⁴ are each independently hydrogen, COR¹⁵, optionally substituted alkyl, optionally substituted aryl, optionally substituted heteroaryl, or optionally substituted heterocyclyl or R¹³ and R¹⁴ together with the N atom to which they are attached form a group -N=C(R¹⁶)-NR¹⁷R¹⁸;

R^{15} is H, optionally substituted alkyl, optionally substituted alkoxy, optionally substituted aryl, optionally substituted aryloxy optionally substituted heteroaryl, optionally substituted heteroaryloxy or $NR^{19}R^{20}$;

R^{16} , R^{17} and R^{18} are each independently H or lower alkyl;

R^{19} and R^{20} are independently optionally substituted alkyl, optionally substituted aryl or optionally substituted heteroaryl;

R^2 and R^3 are independently hydrogen, halogen, cyano, optionally substituted alkyl, optionally substituted alkoxy or optionally substituted aryl;

each R^4 is independently halogen, nitro, cyano, optionally substituted C_{1-8} alkyl, optionally substituted C_{2-6} alkenyl, optionally substituted C_{2-6} alkynyl, optionally substituted alkoxycarbonyl, optionally substituted alkylcarbonyl, optionally substituted alkylaminocarbonyl, optionally substituted dialkylaminocarbonyl, optionally substituted C_{3-7} cycloalkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted heterocyclyl, optionally substituted alkoxy, optionally substituted aryloxy, optionally substituted heteroaryloxy, optionally substituted alkylthio or $R^{21}R^{22}N$;

~~where~~ R^{21} and R^{22} are, each independently, hydrogen, C_{1-8} alkyl, C_{3-7} cycloalkyl, C_{3-6} alkenyl, C_{3-6} alkynyl, C_{3-7} cycloalkyl(C_{1-4})alkyl, C_{2-6} haloalkyl, C_{1-6} alkoxy(C_{1-6})alkyl, or C_{1-6} alkoxycarbonyl or R^{21} and R^{22} together with the N atom to which they are attached form a five, six or seven-membered heterocyclic ring which may contain one or two further heteroatoms selected from O, N or S and which may be optionally substituted by one or two C_{1-6} alkyl groups;

or 2 adjacent groups R^4 together with the carbon atoms to which they are attached form a 4, 5, 6, or 7 membered carbocyclic or heterocyclic ring which may be optionally substituted by halogen;

n is 0, 1, 2, 3 or 4;

each R_a is independently hydrogen, halogen, hydroxy, cyano, optionally substituted C_{1-8} alkyl, optionally substituted C_{2-6} alkenyl, optionally substituted C_{2-6} alkynyl, optionally substituted alkoxycarbonyl, optionally substituted alkylcarbonyl, optionally substituted alkylaminocarbonyl, optionally substituted dialkylaminocarbonyl, optionally substituted C_{3-7} cycloalkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted

heterocyclyl, optionally substituted alkoxy, optionally substituted aryloxy, optionally substituted heteroaryloxy, optionally substituted alkylthio, optionally substituted arylthio or $R^{23}R^{24}N$;

~~where~~ R^{23} and R^{24} are, each independently, hydrogen, C_{1-8} alkyl, C_{3-7} cycloalkyl, C_{3-6} alkenyl, C_{3-6} alkynyl, C_{3-7} cycloalkyl(C_{1-4})alkyl, C_{2-6} haloalkyl, C_{1-6} alkoxy(C_{1-6})alkyl, or C_{1-6} alkoxycarbonyl or R^{23} and R^{24} together with the N atom to which they are attached form a five, six or seven-membered heterocyclic ring which may contain one or two further heteroatoms selected from O, N or S and which may be optionally substituted by one or two C_{1-6} alkyl groups;

or two Ra groups attached to the same carbon atom are =O or two Ra groups attached to adjacent carbon atoms form a bond, or two Ra groups together with the carbon atom to which they are attached form a three- to seven-membered ring, that may be saturated or unsaturated, and that may contain one or two hetero atoms selected from the group consisting of N, O and S, and which may be optionally substituted by one or two C_{1-6} alkyl groups;

or two Ra groups together form a group $-CH_2-$, $-CH=CH-$ or $-CH_2CH_2-$;

p is 0, 1, 2, 3, 4, 5 or 6;

q is 0, 1, 2, 3, 4, 5 or 6 provided that p+q is 1, 2, 3, 4, 5 or 6; and

R^8 is optionally substituted alkyl, optionally substituted alkenyl, optionally substituted alkynyl, optionally substituted cycloalkyl, optionally substituted aryl, optionally substituted alkoxy, optionally substituted aryloxy, optionally substituted alkoxycarbonyl, optionally substituted alkylcarbonyl or optionally substituted alkenylcarbonyl;
or salts or N-oxides thereof.

2. (Original) A compound according to claim 1 wherein X is NH and Y is a single bond or C=O.

3. (Previously Presented) A compound according to claim 1 wherein each Ra is hydrogen and R^2 and R^3 are each independently hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or cyano.

4. (Currently Amended) A compound according to claim 1 wherein

R^1 is hydrogen; C_{1-6} alkyl; C_{1-6} cyanoalkyl; C_{1-6} haloalkyl; C_{3-7} cycloalkyl(C_{1-4})alkyl; C_{1-6} alkoxy(C_{1-6})alkyl; heteroaryl(C_{1-6})alkyl (wherein the heteroaryl group may be optionally

substituted by halo, nitro, cyano, C₁₋₆ alkyl, C₁₋₆ haloalkyl, C₁₋₆ alkoxy, C₁₋₆ haloalkoxy, C₁₋₆ alkylsulfonyl, C₁₋₆ alkylsulfinyl, C₁₋₆ alkylthio, C₁₋₆ alkoxycarbonyl, C₁₋₆ alkylcarbonylamino, or arylcarbonyl, or two adjacent positions on the heteroaryl system ring may be cyclised to form a 5, 6 or 7 membered carbocyclic or heterocyclic ring, itself optionally substituted with halogen);₂ aryl(C₁₋₆)alkyl (wherein the aryl group may be optionally substituted by halo, nitro, cyano, C₁₋₆ alkyl, C₁₋₆ haloalkyl, C₁₋₆ alkoxy, C₁₋₆ haloalkoxy, C₁₋₆ alkylsulfonyl, C₁₋₆ alkylsulfinyl, C₁₋₆ alkylthio, C₁₋₆ alkoxycarbonyl, C₁₋₆ alkylcarbonylamino, or arylcarbonyl, or two adjacent positions on the aryl system ring may be cyclised to form a 5, 6 or 7 membered carbocyclic or heterocyclic ring, itself optionally substituted with halogen);₂ C₁₋₆ alkylcarbonylamino(C₁₋₆)alkyl;₂ aryl (which may be optionally substituted by halo, nitro, cyano, C₁₋₆ alkyl, C₁₋₆ haloalkyl, C₁₋₆ alkoxy, C₁₋₆ haloalkoxy, C₁₋₆ alkylsulfonyl, C₁₋₆ alkylsulfinyl, C₁₋₆ alkylthio, C₁₋₆ alkoxycarbonyl, C₁₋₆ alkylcarbonylamino, or arylcarbonyl, or two adjacent positions on the aryl system ring may be cyclised to form a 5, 6 or 7 membered carbocyclic or heterocyclic ring, itself optionally substituted with halogen);₂ heteroaryl (which may be optionally substituted by halo, nitro, cyano, C₁₋₆ alkyl, C₁₋₆ haloalkyl, C₁₋₆ alkoxy, C₁₋₆ haloalkoxy, C₁₋₆ alkylsulfonyl, C₁₋₆ alkylsulfinyl, C₁₋₆ alkylthio, C₁₋₆ alkoxycarbonyl, C₁₋₆ alkylcarbonylamino, or arylcarbonyl, or two adjacent positions on the heteroaryl system ring may be cyclised to form a 5, 6 or 7 membered carbocyclic or heterocyclic ring, itself optionally substituted with halogen);₂ C₁₋₆ alkoxy;₂ C₁₋₆ haloalkoxy;₂ phenoxy (wherein the phenyl group is optionally substituted by halogen, C₁₋₄ alkyl, C₁₋₄ alkoxy, C₁₋₄ haloalkyl, C₁₋₄ haloalkoxy, CN, NO₂, aryl, heteroaryl, amino or dialkylamino);₂ heteroaryloxy (optionally substituted by halo, nitro, cyano, C₁₋₆ alkyl, C₁₋₆ haloalkyl, C₁₋₆ alkoxy or C₁₋₆ haloalkoxy);₂ heterocyclyloxy (optionally substituted by halo, C₁₋₆ alkyl, C₁₋₆ haloalkyl, C₁₋₆ alkoxy or C₁₋₆ haloalkoxy);₂ cyano;₂ C₂₋₆ alkenyl;₂ C₂₋₆ alkynyl;₂ C₃₋₆ cycloalkyl;₂ C₅₋₇ cycloalkenyl;₂ heterocyclyl (optionally substituted by halo, nitro, cyano, C₁₋₆ alkyl, C₁₋₆ haloalkyl, C₁₋₆ alkoxy or C₁₋₆ haloalkoxy);₂ C₁₋₆ alkylthio;₂ C₁₋₆ haloalkylthio or NR¹³R¹⁴; and

where R¹³ and R¹⁴ are each independently hydrogen;₂ C₁₋₆ alkyl;₂ C₁₋₆ haloalkyl;₂ C₁₋₆ alkoxy(C₁₋₆)alkyl;₂ phenyl (which may be optionally substituted by halogen, C₁₋₄ alkyl, C₁₋₄ alkoxy, C₁₋₄ haloalkyl, C₁₋₄ haloalkoxy, CN, NO₂, aryl, heteroaryl, amino, dialkylamino or C₁₋₄ alkoxycarbonyl);₂ phenyl (C₁₋₆)alkyl (wherein the phenyl group may be optionally substituted by

halogen, C₁₋₄ alkyl, C₁₋₄ alkoxy, C₁₋₄ haloalkyl, C₁₋₄ haloalkoxy, CN, NO₂, aryl, heteroaryl, amino, dialkylamino, C₁₋₆ alkylsulfonyl, C₁₋₆ or alkoxycarbonyl, or two adjacent positions on the phenyl ring may be cyclised to form a 5, 6 or 7 membered carbocyclic or heterocyclic ring, itself optionally substituted with halogen); heteroaryl (C₁₋₆)alkyl (wherein the heteroaryl group may be optionally substituted by halo, nitro, cyano, C₁₋₆ alkyl, C₁₋₆ haloalkyl, C₁₋₆ alkoxy, C₁₋₆ haloalkoxy, C₁₋₆ alkylsulfonyl, C₁₋₆ alkylsulfinyl, C₁₋₆ alkylthio, C₁₋₆ alkoxycarbonyl, C₁₋₆ alkylcarbonylamino, or arylcarbonyl, or two adjacent positions on the heteroaryl ~~system~~ ring may be cyclised to form a 5, 6 or 7 membered carbocyclic or heterocyclic ring, itself optionally substituted with halogen); or heteroaryl (which may be optionally substituted by (i) halo, (ii) nitro, (iii) cyano, (iv) C₁₋₆ alkyl, (v) C₁₋₆ haloalkyl, (vi) C₁₋₆ alkoxy, ~~or~~ (vii) C₁₋₆ haloalkoxy, (viii) C₁₋₄ alkoxycarbonyl, (ix) C₁₋₆ alkylcarbonylamino, (x) phenyloxycarbonylamino (wherein the phenyl group is optionally substituted by halogen, C₁₋₄ alkyl, C₁₋₄ alkoxy, C₁₋₄ haloalkyl, C₁₋₄ haloalkoxy, CN, NO₂, aryl, heteroaryl, amino or dialkylamino), (xi) amino, (xii) C₁₋₆ alkylamino, or (xiii) phenylamino (wherein the phenyl group is optionally substituted by halogen, C₁₋₄ alkyl, C₁₋₄ alkoxy, C₁₋₄ haloalkyl, C₁₋₄ haloalkoxy, CN, NO₂, aryl, heteroaryl, amino or dialkylamino)).

5. (Currently Amended) A compound according to claim 1 wherein

each R⁴ is independently halogen; cyano; C₁₋₈ alkyl; C₁₋₈ haloalkyl; C₁₋₆ cyanoalkyl; C₁₋₆ alkoxy(C₁₋₆)alkyl; C₃₋₇ cycloalkyl(C₁₋₆)alkyl; C₅₋₆ cycloalkenyl(C₁₋₆)alkyl; C₃₋₆ alkenyloxy(C₁₋₆)alkyl; C₃₋₆ alkynyloxy(C₁₋₆)alkyl; aryloxy(C₁₋₆)alkyl; C₁₋₆ carboxyalkyl; C₁₋₆ alkylcarbonyl(C₁₋₆)alkyl; C₂₋₆ alkenylcarbonyl(C₁₋₆)alkyl; C₂₋₆ alkynylcarbonyl(C₁₋₆)alkyl; C₁₋₆ alkoxycarbonyl(C₁₋₆)alkyl; C₃₋₆ alkenyloxycarbonyl(C₁₋₆)alkyl; C₃₋₆ alkynyloxycarbonyl(C₁₋₆)alkyl; aryloxycarbonyl(C₁₋₆)alkyl; C₁₋₆ alkylthio(C₁₋₆)alkyl; C₁₋₆ alkylsulfinyl(C₁₋₆)alkyl; C₁₋₆ alkylsulfonyl(C₁₋₆)alkyl; aminocarbonyl(C₁₋₆)alkyl; C₁₋₆ alkylaminocarbonyl(C₁₋₆)alkyl; di(C₁₋₆)alkylaminocarbonyl(C₁₋₆)alkyl; phenyl(C₁₋₄)alkyl (wherein the phenyl group is optionally substituted by halogen, C₁₋₄ alkyl, C₁₋₄ alkoxy, C₁₋₄ haloalkyl, C₁₋₄ haloalkoxy, CN, NO₂, aryl, heteroaryl, amino or dialkylamino); heteroaryl(C₁₋₄)alkyl (wherein the heteroaryl group is optionally substituted by halo, nitro, cyano, C₁₋₆ alkyl, C₁₋₆ haloalkyl, C₁₋₆ alkoxy or C₁₋₆ haloalkoxy); heterocyclyl(C₁₋₄)alkyl (wherein the heterocyclyl group is optionally substituted by halo, nitro, cyano, C₁₋₆ alkyl, C₁₋₆ haloalkyl, C₁₋₆

alkoxy or C_{1-6} haloalkoxy; C_{2-6} alkenyl; aminocarbonyl(C_{2-6})alkenyl; C_{1-6} alkylaminocarbonyl(C_{2-6})alkenyl; di(C_{1-6})alkylaminocarbonyl(C_{2-6})alkenyl; phenyl(C_{2-4})alkenyl; (wherein the phenyl group is optionally substituted by halogen, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2 , aryl, heteroaryl, amino or dialkylamino); C_{2-6} alkynyl; trimethylsilyl(C_{2-6})alkynyl; aminocarbonyl(C_{2-6})alkynyl; C_{1-6} alkylaminocarbonyl(C_{2-6})alkynyl; di(C_{1-6})alkylaminocarbonyl(C_{2-6})alkynyl; C_{1-6} alkoxycarbonyl; C_{3-7} cycloalkyl; C_{3-7} halocycloalkyl; C_{3-7} cyanocycloalkyl; C_{1-3} alkyl(C_{3-7})-cycloalkyl; C_{1-3} alkyl(C_{3-7})halocycloalkyl; phenyl (optionally substituted by halogen, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2 , aryl, heteroaryl, amino or dialkylamino); heteroaryl (optionally substituted by halo, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy); or heterocyclyl (wherein the heterocyclyl group is optionally substituted by halo, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy);

or 2 adjacent groups R^4 together with the carbon atoms to which they are attached form a 4, 5, 6 or 7 membered carbocyclic or heterocyclic ring which may be optionally substituted by halogen; C_{1-8} alkoxy; C_{1-6} haloalkoxy; phenoxy (optionally substituted by halo, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy); heteroaryloxy (optionally substituted by halo, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy); C_{1-8} alkylthio or $R^{19}R^{20}N$;

~~where~~ R^{19} and R^{20} are, each independently, hydrogen, C_{1-8} alkyl, C_{3-7} cycloalkyl, C_{3-6} alkenyl, C_{3-6} alkynyl, C_{2-6} haloalkyl, or C_{1-6} alkoxycarbonyl;

or R^{19} and R^{20} together with the N atom to which they are attached form a five, six or seven-membered heterocyclic ring which may contain one or two further heteroatoms selected from O, N or S and which may be optionally substituted by one or two C_{1-6} alkyl groups; and

n is 0, 1, 2 or 3.

6. (Currently Amended) A compound according to claim 1 wherein

R^8 is C_{1-10} alkyl; C_{1-10} haloalkyl; aryl(C_{1-6})alkyl (wherein the aryl group is optionally substituted by halogen, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2 , aryl, heteroaryl, amino or dialkylamino); heteroaryl(C_{1-6})alkyl (wherein the heteroaryl group is optionally substituted by halogen, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN,

NO₂, aryl, heteroaryl, amino or dialkylamino}; arylcarbonyl-(C₁₋₆)alkyl (wherein the aryl group may be optionally substituted by halogen, C₁₋₄ alkyl, C₁₋₄ alkoxy, C₁₋₄ haloalkyl, C₁₋₄ haloalkoxy, CN, NO₂, aryl, heteroaryl, amino or dialkylamino and the alkyl group may be optionally substituted by aryl}; C₂₋₈ alkenyl; C₂₋₈ haloalkenyl; aryl(C₂₋₆)-alkenyl (wherein the aryl group is optionally substituted by halogen, C₁₋₄ alkyl, C₁₋₄ alkoxy, C₁₋₄ haloalkyl, C₁₋₄ haloalkoxy, CN, NO₂, aryl, heteroaryl, amino, ~~or~~ dialkylamino, or C₁₋₆ alkoxycarbonyl, or two adjacent substituents on the aryl group ~~can~~ cyclise to form a 5, 6 or 7 membered carbocyclic or heterocyclic ring}; heteroaryl(C₂₋₆)-alkenyl (wherein the heteroaryl group is optionally substituted halogen, C₁₋₄ alkyl, C₁₋₄ alkoxy, C₁₋₄ haloalkyl, C₁₋₄ haloalkoxy, CN, NO₂, aryl, heteroaryl, amino, ~~or~~ dialkylamino, or C₁₋₆ alkoxycarbonyl, or two adjacent substituents on the heteroaryl group ~~can~~ cyclise to form a 5, 6 or 7 membered carbocyclic or heterocyclic ring}; C₂₋₆ alkynyl; phenyl(C₂₋₆)alkynyl (wherein the phenyl group is optionally substituted by halogen, C₁₋₄ alkyl, C₁₋₄ alkoxy, C₁₋₄ haloalkyl, C₁₋₄ haloalkoxy, CN, NO₂, aryl, heteroaryl, amino or dialkylamino}; C₃₋₇ cycloalkyl; C₁₋₆ alkoxycarbonyl; C₁₋₆ alkylcarbonyl; C₁₋₆ haloalkylcarbonyl; ~~or~~ aryl(C₂₋₆)alkenylcarbonyl (wherein the aryl group may be optionally substituted halogen, C₁₋₄ alkyl, C₁₋₄ alkoxy, C₁₋₄ haloalkyl, C₁₋₄ haloalkoxy, CN, NO₂, aryl, heteroaryl, amino or dialkylamino}; or -C(R⁵¹)(R⁵²)-[CR⁵³=CR⁵⁴]_z-R⁵⁵;

~~where~~-z is 1 or 2;


R⁵¹ and R⁵² are each independently H, halo or C₁₋₂ alkyl;

R⁵³ and R⁵⁴ are each independently H, halogen, C₁₋₄ alkyl or C₁₋₄ haloalkyl; and

R⁵⁵ is optionally substituted aryl or optionally substituted heteroaryl.


7. (Previously Presented) A compound according to claim 1 wherein p is 1 or 2 and q is 2.

8. (Original) A compound of formula II



wherein R^2 , R^3 , R^4 , R^8 , Ra , n , p and q are as defined in claim 1 and R^8 may also be hydrogen or *tert*-butoxycarbonyl; or

a compound of formula III



wherein X , Y , R^1 , R^2 , R^3 , R^4 , Ra , n , p and q are as defined in claim 1 and R^8 is hydrogen or *tert*-butoxycarbonyl.

9. (Currently Amended) An insecticidal acaricidal and nematicidal composition comprising an insecticidally, acaricidally or nematicidally effective amount of a compound of ~~formula I as defined in claim 1.~~

10. (Currently Amended) A method of combating and controlling insects, acarines, nematodes or molluscs which comprises applying to a pest, to a locus of a pest, or to a plant susceptible to attack by a pest an insecticidally, acaricidally, nematicidally or molluscicidally effective amount of a compound of ~~formula I according to claim 1.~~

11. (New) A compound according to claim 1 wherein

X is NR^{11} ;

R^{11} is hydrogen, optionally substituted alkyl, optionally substituted aryl or optionally substituted heteroaryl; and

Y is $\text{C}=\text{O}$.

12. (New) A compound according to claim 11 wherein X is NH and Y is $\text{C}=\text{O}$.

13. (New) A compound according to claim 12 wherein each of R_a , R^2 and R^3 is independently hydrogen, and n is 0.

14. (New) A compound according to claim 13 wherein both p and q are 2.

15. (New) A compound according to claim 14 wherein R^1 is an optionally substituted heteroaryl.

16. (New) A compound according to claim 15 wherein

R^8 is $-\text{C}(\text{R}^{51})(\text{R}^{52})-[\text{CR}^{53}=\text{CR}^{54}]\text{Z}-\text{R}^{55}$;

z is 1 or 2;

R^{51} and R^{52} are each independently H, halo or C_{1-2} alkyl;

R^{53} and R^{54} are each independently H, halogen, C_{1-4} alkyl or C_{1-4} haloalkyl; and

R^{55} is optionally substituted aryl or optionally substituted heteroaryl.

17. (New) A compound according to claim 16 wherein


z is 1;

R^{51} and R^{52} are each independently H;

R^{53} and R^{54} are each independently H; and

R^{55} is optionally substituted aryl.

18. (New) A compound according to claim 17 having a formula:



19. (New) An insecticidal acaricidal and nematocidal composition comprising an insecticidally, acaricidally or nematocidally effective amount of a compound of claim 18.

20. (New) An insecticidal acaricidal and nematocidal composition comprising an insecticidally, acaricidally or nematocidally effective amount of a compound of claim 14.